Leveraging Library of Congress Subject Headings to improve Search for Events – A Time Period Directory[†]

10/27/2005

Vivien Petras (vivienp@sims.berkeley.edu), Matt Meiske, Ray Larson, Jeanette Zernecke, Kim Carl & Michael Buckland

Table of Contents

- 1. Introduction
- 2. LCSH Chronological Provisions
- 3. Chronological Subdivisions in LCSH
- 4. The Time Period Directory Content Standard
- 5. Harvesting the LCSH Authority Files
- 6. Making it accessible a first Web Interface
- 7. Outlook
- 8. References
- 9. Appendices

1. Introduction

Historical research of any kind is commonly organized by chronological periods and events marking a point of change. Especially in the humanities it has been found that scholars search in three major categories: biography (person), chronology (period or event) and geography (place). In a 2-year study of humanities scholars' search in online databases at the Getty Art History Information Program Marcia Bates found that:

"Humanities scholars searched for far more named individuals, geographical terms, chronological terms, and discipline terms than was the case in a comparative science sample." (Bates, 1993, 1)

In her analysis of 150 queries, 49% were searches for an individual as subject, 25% for a geographical name, and 17% for a chronological term (Bates, 1993, 15). Donald Case, in his study about the search habits of twenty American history scholars writes:

"Of particular interest in history is the dimension of time; were it not for the temporal dimension, most topics in history would be the same as those covered by other fields within the social sciences and humanities." (Case, 1991, 64-65)

Also Helen Tibbo, in her dissertation on abstracts and searching in the humanities, points out that historians put a particular emphasis on the chronological and geographical dimensions. When she asked historians which kind of materials they most likely wanted to see in abstracts of historical materials, 100% of respondents wanted to see (a) specific dates and time span indicators and (b) names of geopolitical units. Slightly less important were (c) names of individuals and/or groups (96%) and interestingly, (d) the main topic or subject of work (92%) was only ranked fourth (Tibbo, 1989, 540).

This evidence caused Bates to conclude that time should be made available as a search aspect:

[†] http://metadata.sims.berkeley.edu/tpd/TPD-report.pdf

"Dates should be considered another category of term used in thesauri, and thesauri should instruct indexers in how to represent chronological terms effectively. Only in that way will good date indexing make effective online retrieval possible." (Bates, 1993, 35)

However, one rarely finds an organized way to search for time periods in standard information systems such as library catalogs and bibliographical databases. If one finds the capability to search for time, it is usually expressed in dates – a standardized and precise form of expression but unfortunately rather seldom used in common language.

It is much more common to speak of important historical time spans using named events adjectivally as time periods, for example "Renaissance", "Fin de Siècle" or "Cold War". These named time periods are not "merely convenient collections of years" (Case, 1991, 65), they have social, political and cultural context and, as a category of research, they are contested:

"As its simplest, we can say that a period is the outcome of the need to relate generic continuity to temporal discontinuity. [...] Period, as we have said, provides that context, but it can only do so according to some organizing principle which must be the work of the historian." (Leff, 1972, 151)

In this paper, we will describe an attempt to relate named time periods to date ranges and their associated localities and so provide an effective way to access chronological information in a search environment. We have designed a Content Standard to describe records in a Time Period Directory, which - like a gazetteer relating place names to latitude and longitude coordinates – organizes named time periods or events, their associated dates or date ranges and locations in one structure. We have implemented a Time Period Directory with named time periods and events harvested from Library of Congress subject headings (LCSH) and built a web interface to demonstrate different access and search strategies for a potential user.

The paper is organized as follows: in section 2, we provide a description of how the Library of Congress describes time in its subject headings and in section 3 we provide a short overview of 2 statistical studies analyzing the distribution of chronological subdivisions in subject headings in a sample of authority records and a sample of real catalog records. In section 4, we introduce the Time Period Directory Content Standard, which is an XML schema for structuring Time Period Directory records. Section 5 describes the procedure for harvesting chronological subdivisions from LCSH records and their transformation into Time Period Directory records. A description of the web interface implementation of our first Time Period Directory is provided in section 6. A perspective on how to move forward and which improvements can be made to the existing implementation are provided in section 7.

2. LCSH Chronological Provisions

The Library of Congress Subject Cataloging Manual states under instruction sheet H620 (Chronological Headings and Subdivisions: Methods of expressing chronological focus in subject headings) that the Library of Congress Subject Headings (LCSH) provide five ways to express time and time periods. These are:

- a. General headings to express time periods not limited by subject (e.g. Renaissance).
- b. Headings with inherent or implied chronological concepts limited to a specific time period due to the nature of subject expressed, such as historical movements, artistic styles, technological development (e.g. Post-communism).
- c. Headings with an adjectival qualifier (e.g. Greek drama, Modern).
- d. Headings with a date qualifier (e.g. Culpeper's Rebellion, 1677-1679).
- e. Chronological subdivision (\$y).

Except for the chronological subdivisions where events or time periods can be automatically detected by harvesting the \$y subdivision in catalog or authority records, the first four cases of time expressions occur in the MARC tag 150 \$a, which is the general entry for topical term headings, making these headings indistinguishable from other topical terms from a machine-processing standpoint. Without manual inspection, it is not possible to extract headings that contain a chronological statement from the thousands of authority records describing topical headings. As a consequence, in our analysis and implementation we concentrate on the records containing a chronological subdivision, providing starting point for automatic analysis.

For chronological subdivisions, instruction sheet H620 of the Subject Cataloging Manual specifies eight different forms of chronological subdivision statements:

- 1) Unspecified starting date (e.g.150 ## \$a Libraries \$x History \$y To 400)
- 2) Unspecified ending date (e.g. 150 ## \$a World politics \$y 1989-)
- 3) Unspecified starting or ending date (only for geological periods) (e.g.150 ## \$a Geology, Stratigraphic \$y Devonian)
- 4) Specific century or centuries (e.g. 150 ## \$a Wood-engraving \$y 17th century)
- 5) Specific date spans with explanatory words: (e.g. 150 ## \$a Christian art and symbolism \$y Renaissance, 1450-1600)
- 6) Specific date spans without explanatory words (e.g. 150 ## \$a Music \$y 500-1400)
- 7) Single date with explanatory words (e.g. 151 ## \$a Great Britain \$x History \$y Edward VIII, 1936)
- 8) Single date without explanatory words (e.g. 150 ## \$a Solar eclipses \$y 1854)

Of these eight forms of chronological subdivisions, only a subset could be termed an event or a named time period in our interpretation. In particular, these are geological periods (3) and chronological subdivisions that contain explanatory words (5 & 7). Looking at the examples given above, it is entirely probable that the other five subdivision forms contain a number of records that describe events (e.g. Solar eclipses, 1854), especially when they are tied to a particular location with a geographic subdivision – however, most chronological subdivisions seem to subdivide a subject by time in order to split the number of records into a manageable size (e.g. Libraries, History, To 400 or Wood-engraving, 17th century) without denoting specific events (Chan, 20).

One could describe the majority of records as subjects that lend themselves to be qualified or subdivided by a time span - in this study, however, we are most interested in those records that primarily describe a time span or event (where time is the primary aspect).

3. Chronological Subdivisions in LCSH

Frommeyer (2003) summarizes a number of quantitative studies analyzing the distribution of LCSH subdivisions in samples of Library of Congress Subject Headings (LCSH), of which we will mention the largest (in terms of the number of records analyzed) (O'Neill / Aluri, 1979) and most detailed (in looking at chronological subdivisions) (Drabenstott, 1992). For a comparison of the studies, see the table at the end of section 3.2.

O'Neill and Aluri (1979) analyzed a sample of 33,455 bibliographic records of monographs that contained 47,036 LoC subject headings. Of the 33,597 topical subject headings (650), 31% contained a geographic and 3% a chronological subdivision. Of the 6,826 geographic subject headings (651), 5% contained a geographic and 23% a chronological subdivision. These percentages are calculated over the number of all subject headings, not only the subdivided ones, which is the case for the other studies described here.

For Drabenstott's (1992) study, a 0.1% sample (2,903 unique topical headings and 857 geographic headings) of subdivided assigned subject headings from the OCLC Online Union Catalog was analyzed. Of the 2,903 topical headings, 52.4% contained a geographic and only 1.6% a chronological subdivision. Of the 857 geographic headings, 3.1% contained a geographic and 9.4% a chronological subdivision. Drabenstott also lists the different forms of period subdivisions in her two samples (see section 3.3).

We have undertaken two similar studies with a sample of LoC subject authority records from last year (280,000) and circa five million catalog records containing subject headings from the University of California's MELVYL catalog. Looking at authority records alone is similar to Drabenstott's study that looked at unique headings whereas looking at catalog records is similar to O'Neill's study.

3.1 Authority Records

Our sample of subject authority records contained about 59,000 subdivided topical headings (MARC code 150) and 13,000 subdivided geographical headings (MARC code 151), which we further analyzed. Of the 59,000 topical headings, 28.1% contained a geographical (\$z) and 4.6% a chronological subdivision (\$y). Of the 13,000 geographical headings, 0.6% contained a geographical subdivision and 62% a chronological subdivision.

Looking at the whole sample of authority records (280,000), whether topical, geographical or other, 3.8% contain a chronological subdivision. Of the whole sample (subdivided or not subdivided) of topical headings (205,000), 1.3% contain a chronological subdivision whereas of the whole sample of geographical headings (47,000), 16.7% contain a chronological subdivision.

3.2 Catalog Records with Subject Headings

It is also important to glean the distribution of subject headings in a real-world setting where headings might repeat and an uneven distribution of headings manifests itself. This is the reason why we also looked at catalog records. About four million records (of the five million analyzed) contained one or more subject heading phrases (MARC code 650 or 651). We found about 5 million subdivided topical subject headings and 1.27 million geographical subject headings. In our topical heading sample, 60.5% of the headings contained a geographic subdivision and 7.2% a chronological subdivision. In our geographic heading sample, 6.6% contained a geographic, and 27.3% a chronological subdivision.

In all subject headings (subdivided or not, total 8.12 million headings), we found 8.8% headings with a chronological subdivision, about half in the topical (650) and half in the geographical (651) headings. Of all topical headings, 5.4% contained a chronological subdivision. Of all geographical headings, 26.3% contained a chronological subdivision.

The table below shows a comparison of all 4 analyses cited. Although the number and percentages differ, certain trends can be detected nevertheless. For example, topical headings contain a lot of geographic subdivisions whereas geographic headings are rarely subdivided geographically. Geographic headings contain many more chronological subdivisions than topical headings. In our study, we have generally found more chronological subdivisions than the previous studies.

	O'Neill (1979) Subject headings from catalog records	Drabenstott (1992) Unique subject headings	Petras (2005) Subject authority records	Petras (2005) Subject headings from catalog records
Topical headings				
# of subdivided	$33,897^{\dagger}$	2,903	58,682	5,071,822
headings analyzed	55,697	2,903	38,082	5,071,822
Subdivisions				
- Geographic	31%	52.4%	28.1%	60.5%
- Chronological	3%	1.6%	4.6%	7.2%
Geographic heading	<u></u> gs			
# of subdivided	6.826^{\dagger}	857	12,747	1,270,230
headings analyzed	0,820	837	12,747	1,270,230
Subdivisions				
- Geographic	5%	3.1%	0.6%	6.6%
- Chronological	23%	9.4%	62%	27.3%

Distribution of subdivisions in topical and geographic headings: 4 analyses.

[†] These numbers are total numbers of subject headings analyzed and not only subdivided ones.

3.3 Types of Chronological Subdivisions

We also looked at different forms of chronological subdivisions in the catalog records. Below is a table comparing numbers from the Drabenstott and our authority records and catalog records studies. Geographic headings have a much higher percentage of event names than topical headings – as could be expected considering that events are commonly associated with a place.

	Drabenstott (1992) Unique subject headings	Petras (2005) Subject authority records	Petras (2005) Subject headings from catalog records
Topical headings with chrono	ological subdivision	·	
# of headings analyzed	70	2,722	366,863
Abbreviated century names (e.g. 15th century)	75.5%	43.8%	81.5%
Dates or date ranges (e.g. 1933-1945)	10%	13.3%	6.0%
Names of events with dates (e.g. Civil War, 1861-1865)	10%	17.5%	10.3%
Dates following "To" (e.g. To 400)	4.3%	14%	2.2%
Geographic headings with ch	ronological subdivision		
# of headings analyzed	80	7,790	346,923
Abbreviated century names	7.6%	9.4%	14.8%
Dates or date ranges	40%	47.4%	59.1%
Names of events with dates	45%	30.7%	21.7%
Dates following "To"	3.7%	7.2%	4.4%

Distribution of chronological subdivisions in topical and geographic subject headings.

An astonishing number of the chronological subdivisions in catalog records we looked at contained spelling or syntax errors. Below is an example of the chronological subdivision "Early church, ca 30-600", which occurred in 12 variants. An automatic checking and verification procedure for subject heading formulation and assignment as recommended by Drabenstott (1992) would help consolidating these erroneous (and therefore difficult to retrieve) headings.

Early chuch, ca 30-600	1
Early church	4
Early church ca 30-600	3
Early church, ca 30-600	1
Early church, 30-600	3
Early church, 300-600	1
Early church, ca 3-600	1
Early church, ca 30 to 600	1
Early church, ca 30-60	1
Early church, ca 30-600	1692
Early church, ca 60-300	1
Early church, ca30-600	7

Variants of chronological subdivisions in actual catalog records.

Nevertheless, these numbers are encouraging for our endeavor to provide an access point to events and named time periods in the catalog. We found that most subdivisions following the structure of "Names of events with dates" are indeed events, meaning that at least 16% of all records containing a chronological subdivision will reference an event. Many more subject headings (not containing a chronological subdivision) might also point to events.

For the Time Period Directory that we introduce in this paper, we only used those authority records (unique subject headings) that contain a phrase in their chronological heading possibly denoting a period or event name. Of the circa 10,000 authority records in our sample that contain a chronological subdivision, around a third contains a phrase or potential event name. We have followed this approach for convenience, because it was relatively easy for us to automatically extract those authority records that contained a phrase. Our application contains a little over 2,000 different period or event names showing the viability of the approach. We are certain that a closer inspection of LCSH authority records could find more instances of period names and events. The automatic extraction of LoC subject authority records for our Time Period Directory is described in section 5.

4. The Time Period Directory Content Standard

In 2003, Feinberg et al. prepared a report for the Electronic Cultural Atlas Initiative's IMLS project "Going places in the catalog" describing the design of a gazetteer-like standard to describe time periods. They write:

"Just as a gazetteer matches place names to coordinates, a time period directory could match time period terms to date ranges, location, and other information that characterizes the period."

The motivation for the "Going places in the Catalog" project was to improve geographic access to library catalogs by using a gazetteer to derive longitude/latitude data thereby providing greater control over unstable geographic names and allowing the use of a map interface. It occurred to us that time statements and time periods have much the same problems. Even though there exists a precise system to specify time and time ranges (dates), ambiguous names are used in public discourse instead:

"The categorization of information by time period is a ubiquitous organizational device, especially for historical data. Yet instead of referring to specific years, we often use period terms to suggest calendar dates. Time period terms distinguish *neolithic* ruins, *Elizabethan* drama, and the *Napoleonic* wars. Indeed, these terms often carry a stronger meaning than calendar dates, because they implicate a subject, time, and place together. For example, the French term *le grand siecle* encapsulates a place (France), time (seventeenth century), and subject (a flowering of arts and culture, and the height of absolute rule). In contrast, the term *seventeenth century* is markedly less informative." (Feinberg et al., 2003)

The result was a draft content schema description for a Time Period Directory Standard for describing named time periods and linking them to dates and locations similar to a gazetteer content standard describing a format for linking geographic names and their latitude and longitude coordinates (see, for example, the ADL Gazetteer Content Standard, 2004).

They also provided a period type list categorizing the types of events that could be described in a time period directory (e.g. reigns, wars, revolutions, religious movements etc.). This is similar to a feature type thesaurus for a gazetteer describing the different geographic features (e.g. city, bridge, island).

As with the ADL Gazetteer Content Standard, we have created an XML schema describing the ECAI Time Period Directory Content Standard based on the content schema description put forth by the Feinberg report. This XML schema describes the structure and elements of a Time Period Directory and the required and optional elements for Time Period Directory records. A single Time Period Directory record contains information about a named time period or event, its associated dates and location as well as a period type categorization and information about related periods.

We have tried to make our Time Period Directory Content Standard as flexible as possible. It is not only language- and script independent, thereby allowing multilingual and multi-script access to time period names. It also allows for different location indicators and different time period categorization schemes to be used. (Application of the Time Period Directory Content Standard to build a Time Period Directory based on LCSH chronological subdivisions is described in sections 5 and 6.)

Below is a table describing the major components of our Time Period Directory Content Standard. A Time Period Directory consists of timePeriodEntry records with the following major elements:

- periodID	Unique identifier
- periodName	 Period name, can be repeated for alternative names Information about language, script, transliteration scheme Source information and notes (where was the period name mentioned)
- descriptiveNotes	 Description of time period
- dates	 Calendar and date format Begin & end date (exact, earliest, latest, most-likely, advocated-by-source, ongoing) Notes, sources
- periodClassification	 Period type, e.g. period of conflict, art movement Can plug in different classification schemes Can be repeated for several classifications

- location	 Places associated with time period Contains both place name and entry to a gazetteer providing more specific place information like latitude / longitude coordinates Can plug in different location indicators (e.g. ADL gazetteer, Getty Thesaurus of Geographic names)
- relatedPeriod	 Related time periods periodID of related periods Information about relationship type (part-of, successor etc.) Can plug in different relationship type schemes
- entryMetadata	 Notes about creator / creation of instance Entry date Modification date

The schema is very compact, trying to re-use elements in different components (e.g. notes, sources, scheme). The full XML schema can be found in the appendix.

5. Harvesting the LCSH Authority Files

This section describes the creation of a Time Period Directory using the Time Period Directory Content Standard as organizational structure and a set of records derived from of LoC subject authority records as basis for content.

5.1 Record extraction

We expected that the headings containing a chronological term (MARC field 148) or chronological subdivision (182) or a chronological subdivision (\$y) are very likely to reference event or time period names. We extracted these records from our sample of 280,000 authority records. The chronological term field (148) did not occur in our sample. The majority of the 10,731 records we extracted were geographic name authority records (151) and topical term authority records (150). We also extracted a few personal name (100), corporate name (110), uniform title (130), general subdivision (180) and chronological subdivision (182) records.

As demonstrated in section 3, the chronological subdivisions that contain a phrase are more likely to be an event, so we automatically extracted only those records that contained a phrase in the chronological subdivision. We ended up with 3,660 unique subject headings (authority records) in our preliminary sample, which we processed further. Of these 3,660 headings, 2806 (77%) were geographic name and 787 (22%) were topical term headings.

MARC authority records contain a lot of data for machine processing. Below we show in an example the fields of the authority records that we extracted for further processing:

<USMARC> <Fld001>sh 00000613 </Fld001> <Fld151><a>Magdeburg (Germany)<x>History</x><y>Siege, 1550-1551</y></Fld151> <Fld550><w>g</w><a>Sieges<z>Germany</z></Fld550> <Fld670><a>Work cat.: 45053442: Besselmeier, S. Warhafftige history vnd beschreibung des Magdeburgischen Kriegs, 1552.</Fld670> <Fld670><a>Cath. encyc.(Magdeburg: besieged (1550-51) by the Margrave Maurice of Saxony)</Fld670> <Fld670><a>Ox. encyc. reformation(Magdeburg: ... during the 1550-1551 siege of Magdeburg ...)</Fld670> </USMARC>

Example of a geographic heading from the LoC subject authority records. Field 001 is the control number, field 151 contains the main heading, field 550 refers to a see also from tracing and field 670 is a source data field.

Besides the control number and the main heading, we also extracted the see from and see also from tracing fields (4xx and 5xx) to mine them for alternate period names and the note fields (667-68x) to extract source information.

5.2 Record transformation

We devised a rule for each authority record (depending on whether it was a geographic name or topical term record) in order to transform the MARC-like format to our Time Period Directory XML structure. We assigned a unique record ID (periodID) to each record, but also kept the control number in a source element to be able to track back to the original authority record. The main heading was then split up: the chronological subdivision (\$y) was put in the periodName field (similarly we put the chronological subdivision of see from and see also from tracings in another periodName field), the geographic aspect (\$a in geographic name headings, \$z in topical headings) was transformed into the location field and form (\$v) and other topical subdivisions (\$x - mostly "History") were dropped. The notes fields were transformed into begin and end date fields. We also automatically entered entry information (e.g. creation date). This rule-based transformation created a skeleton design for the final XML records that conforms to the Time Period Directory Content Standard. A number of elements remained empty and needed manual data entry (e.g. classification information, location indicator information).

5.3 Duplicate removal and problematic cases

We sorted the records by chronological subdivision and manually analyzed the 3,660 records to remove duplicates and records that weren't obvious events or named time periods. This was a highly subjective process and presented a number of problems, as follows:

5.3.1 Obvious non-events and non place-able events

We first removed records that referred to historic language forms instead of events or could not be obviously associated to a place or did not denote events or named time periods at all. For some of these examples one could certainly contest whether they constitute a period or not, we did not spend too much time trying to force these records into our schema. Most records that were removed contained rather vague or broad date ranges. Examples include:

<Fld150><a>Church history<y>2nd century</y></Fld150> <Fld150><a>Theology, Doctrinal<x>History</x><y>Early church, ca. 30-600</y></Fld150> <Fld150><a>Irish literature<y>Early modern, 1550-1700</y></Fld150> <Fld150><a>German literature<y>Old High German, 750-1050</y></Fld150> <Fld150><a>Egyptian language<y>Demotic, ca. 650 B.C.-450 A.D.</y></Fld150>

For other records that did not contain a geographic aspect, we looked up the associated location to insert in the required location element. Examples include:

<Fld150><a>Crusades<y>Eighth, 1270</y></Fld150> <Fld150><a>Salzburgers<y>Emigration, 1731-1735</y></Fld150> <Fld150><a>Geology, Stratigraphic<y>Eocene</y></Fld150> For geologic periods, we generally entered earth as location. Geologic periods are one example where calendar and date format need to be flexibly defined. Our Time Period Directory Content Standard allows us to define the calendar format in "million of years ago", which is the common format in geologic time.

5.3.2 Duplicates

Artistic epochs and periods are often repeated in authority records. We collapsed these records by dropping the topical entry (\$a) and just keeping the chronological subdivision and location information. For example, the Japanese "Meiji period, 1868-1912" occurs in 35 records. We collapsed them into one. Here are some examples for individual headings:

<Fld150><a>Architecture<z>Japan</z><y>Meiji period, 1868-1912</y></Fld150><Fld150><a>Art, Japanese<y>Meiji period, 1868-1912</y></Fld150><<Fld150><a>Japanese drama<y>Meiji period, 1868-1912</y></Fld150><<Fld150><a>Japanese fiction<y>Meiji period, 1868-1912</y></Fld150><<Fld150><a>Japanese language<y>Meiji period, 1868-1912</y></Fld150><<Fld150><a>Japanese language<y>Meiji period, 1868-1912</y></Fld150>

5.3.3 One event, several locations in the same geographic area

For geographic headings, we encountered a series of problems concerning the LoC practice of creating a new authority record for each new location encountered. For example, the "Revolution, 1917-1921" event in Russia occurs in 29 authority records - one for each place described in books at the Library of Congress. Because the creation of subject headings is based on literary warrant, the "Civil War, 1861-1865" event in the United States, for example, is described for 88 different locations (regions, states, counties, and cities).

Since we wanted to present the number of events on a map and initiate a catalog search to find records about these events, it was necessary to keep this location information. We could not simply search the LoC catalog for "Colonial period, ca. 1600-1775, United States" because that would only find the records indexed with this particular string but we also needed to expand the search with other locations recorded with the period "Colonial period" – especially if we wanted to find all records concerned with the geographic area of the United States. Keeping all the information location also enables us to allow a more precise geographical search, for example in the cases below:

<Fld151><a>Punjab (India)<x>History</x><y>Partition, 1947</y></Fld151> <Fld151><a>India<x>History</x><y>Partition, 1947</y></Fld151> <Fld151><a>Bengal (India)<x>History</x><y>Partition, 1947</y></Fld151>

In these cases, however, we collapsed the records into one Time Period Directory instance with several location statements.

5.3.4 Erroneous data, several locations

A lot of records describing a reign occur twice or more under different locations but clearly describe the same king or period (geographical proximity). The most prominent examples are all the kings indexed under Germany or Holy Roman Empire. This is one example:

<Fld151><a>Germany<x>History</x><y>Charles IV, 1347-1378</y></Fld151><Fld151><a>Holy Roman Empire<x>History</x><y>Charles IV, 1347-1378</y></Fld151>

Another case are those events or time periods that seem to be the same, occur in neighboring or overlapping locations but have varying dates. This could be an error but also due to different foci in the books. Here are a few examples:

<Fld151><a>Denmark<x>History</x><y>Christian III, 1534-1559</y></Fld151><Fld151><a>Norway<x>History</x><y>Christian III, 1537-1559</y></Fld151>

<Fld151><a>Rome<x>History</x><y>Empire, 30 B.C.-284 A.D.</y></Fld151><Fld151><a>Rome<x>History</x><y>Empire, 30 B.C.-476 A.D.</y></Fld151>

<Fld151><a>Austria<x>History</x><y>Ferdinand I, 1521-1564</y></Fld151><Fld151><a>Germany<x>History</x><y>Ferdinand I, 1556-1564</y></Fld151>

<Fld151><a>Holy Roman Empire<x>History</x><y>Otto IV, 1198-1215</y></Fld151><Fld151><a>Germany<x>History</x><y>Otto IV, 1208-1214</y></Fld151>

If we could ascertain that these reigns were in fact the same, we collapsed the records and input the most appropriate date and qualified this in the record with a "most-likely" or "earliest" or "latest" date qualifier.

After the removal of duplicates and general "cleaning" of records, we ended up with a total of 2006 Time Period Directory records.

5.4 Manual entry of classification data

The next stage in the Time Period Directory creation was manual entry of time period type information. This involved looking at every record and determining the "type" of event described in this instance. We used the Time Period Type List suggested by Feinberg et al. (2003), which is attached in the appendix.

The Feinberg (2003) Time Period Type List was suggested after collecting and analyzing many different time period and event names from a number of resources. This classification contains 6 top-level categories (Groups of People, Trends in thought and expression, Natural events, Acts of creation or discovery, Biography, and Cycles and intervals) and 34 subcategories.

We have discovered that most events found in the LCSH chronological subdivisions analyzed for our Time Period Directory application fall into the Groups of People category. The overwhelming majority of records was either categorized as Period of Conflict (e.g. revolution, war) (in 56% of the cases) or Period of Control (reign, occupation) (in 34% of the cases). We will consider expanding the classification in order to provide more detailed structuring in these areas.

5.5 Manual entry of location data

We extracted place names from the LCSH as far as possible but to be able to identify a place name unambiguously, we needed to include more detailed location information (an approach we also suggested in the IMLS Going places in the catalog project). This is the reason why we provide gazetteer information (ideally latitude and longitude coordinates) with our Time Period Directory records.

The Content Standard allows for varying gazetteer or other location indication schemes to be applied. For Time Period Directory, we used the Alexandria Digital Library Gazetteer our (http://middleware.alexandria.ucsb.edu/client/gaz/adl/index.jsp) and the Getty Thesaurus of Geographic Names (http://www.getty.edu/research/conducting research/vocabularies/tgn/). We did not include the whole gazetteer record for a place or geographic area, which would be redundant, but just linked to the gazetteer record by id number. Using the gazetteer record id, one can easily retrieve longitude/latitude information (in case of the ADL gazetteer) or more information about the place linked to. We used the Getty Thesaurus of Geographic Names because it provides a record for historical place names that are not retrievable through the ADL gazetteer. Examples are Prussia, Holy Roman Empire, Galicia, and Yugoslavia.

Our practice of linking to the Alexandria Digital Library Gazetteer (ADL) deserves more consideration. The ADL gazetteer provides contemporary location information, not historical data. However, geographic places are in fact unstable and their borders change over time. Consequently, if we link to Russia in the record for the Russian revolution of 1917, we do not link to location information about Russia in the borders of 1917, but rather to Russia of today. It is obvious that this is a clear limitation of our data presentation at the moment. Although we can present the locations on a map thanks to the latitude and longitude data from the ADL gazetteer, these do not necessarily represent the actual borders of the place at the time of the event but rather a first approximation.

The question arises whether we should have spent more effort on providing the correct location information in our data. The Content Standard allows for us to include detailed information in that vein. Nevertheless, we are both unable and unwilling to do so. Just as we do not contest the dates provided with certain period names and events (for example, there is considerable discussion about the dating of artistic periods like the Renaissance), we are not in the business of creating historical maps and gazetteers. We leave the former to historians and the latter to historical gazetteer specialists.

We are unaware of a comprehensive historical gazetteer of the scale of the ADL, which provides spatial data that we could use to present our instances on a map. Nevertheless, there are already national efforts under way to create comprehensive historical maps and gazetteers, see, for example the Great Britain Historical GIS project (2005). We hope to have provided enough context information with using two gazetteers to be able to fill in the information of a historical gazetteer if it is provided to us.

The Time Period Directory Content Standard also provides a component for related periods. This would come in handy for successive reigns in a dynasty or events that are part of other events. Due to labor constraints, we were unable to fill these fields to our satisfaction. Part of this information could be automatically constructed (looking at date ranges in the same countries) but some require human overview.

An example of a complete Time Period Directory record can be found in the appendix.

6. Making it accessible – a first Web Interface

The Time Period Directory Content Standard was created with specific access points to the data in mind. The XML structure should enable to organize the data in different ways depending on a user's preferences.

Four major entry points for a search can be envisioned:

(i) Search by location.

A search by location identifies a place and for that place all available time periods (events) for that location. This could be represented by dots on a map and an accompanying table showing the time period records for this location. This feature could also be used for the creation of national timelines, for example. A search by location could be limited (specified) by time and category (time period type classification).

(ii) Search by time.

A search by time identifies all time periods (events) within a given time range. This could be used for orienting oneself about a particular time period. A search by time could be limited (specified) by location and category (time period classification).

(iii) Search by time period type.

A search by category will show events associated with a specific category from a time period type classification. This could be used for showing trends or related events across space (i.e. civil revolutions in the 19th century). A search by category could be limited by location and time.

(iv) Search for a specific time period or event.

A direct search for a named time period or event will be enabled by having period names and alternative names enumerated in the Time Period Directory. This could be used for specific knownitem searches. A search for specific time period or event could be limited by category, location or time.

For our 2,006 records of LCSH events, we have created a web interface to show a variety of search possibilities and to make this Time Period Directory available to users. We have also connected our Time Period Directory to the Library of Congress catalog to demonstrate the feasibility of other search entry points (specifically time!) into the catalog. It is now accessible at http://ecai.org/imls2004/TimePeriodDirectory/tpdindex.html.

Three principle entry points are provided on the starting page:

- Country Browse, which allows to search for events by country, US state or major city;
- Map Browse, which presents events as clickable dots on a map;
- Time Line Browse, which allows to search for events by time.

We have not yet implemented a search by category because our time period type classification (as explained in section 5) classified most of our 2,006 records in 2 categories and therefore did not provide a good (valuable) entry into the data.

6.1 Country Browse



Sample view of the Country Browse

The Country Browse interface provides an overview of events or time periods by country (first alphabetically organized) or by US state or world city. Every event has an icon associated with it that will

trigger a catalog search in the Library of Congress catalog. Since our Time Period Directory records are created from LC subject headings, we can use these subject headings (from which we extracted our instances) to trigger a precise subject search in the catalog. The drop-down menu allows selecting a specific country and to view events associated with it.

 Georgia Colonial period, ca. 1600-1775, Georgia Revolution, 1775-1783, Augusta (Ga.) Siege, 1779, Savannah (Ga.) War of 1812, Georgia Civil War, 1861-1865, Georgia Siege, 1864, Savannah (Ga.) 	View of Time Period Directory records by US State. To view catalog records associated with "Colonial period, ca. 1600-1775" in Georgia, one only needs to click this icon.
Hawaii • Overthrow of the Monarchy, 1893, Hawaii 💐	
Illinois • War of 1812, Illinois 🗟 • Civil War, 1861-1865, Illinois 🗟, Highland (Ill.) 🗟, Chicago	(山) 尾

View of Time Period Directory by US State.

The catalog search looks up the Time Period Directory record and finds the LCSH id in the source field, it then transforms this LCSH id to the original subject heading and submits a search to the Library of Congress catalog server. It shows the original heading, the number of found items and the items itself with all subject headings linked. Clicking on one of the subject headings triggers a new search to the catalog retrieving catalog records associated with that heading. Below shows an example for the search "Colonial period, ca. 1600-1775" in Georgia:

```
Your search, encoded as Georgia History Colonial period ca. 1600 1775, was submitted to the Library of Congress server, 191 items
were retrieved
Record #1
```

Title:

```
A Brief account of the establishment of the colony of Georgia under Gen. James Oglethorpe, February 1, 1733.
Publisher:
      Rochester, G. P. Humphrey [1897].
Pages:
      16, [2] p.
Series:
      American colonial tracts monthly. [v. 1] no. 2. June 1897
Notes:
      Caption title: vol. I. Colonial tracts. no. 2. A brief account ... Reprint, without acknowledgment, from Force tracts, 1836, v.
1, no. 2.Extracts from no. 46, 47, 53, 63, 72, 74, and 78 of the South Carolina gazette, November 25, 1732-July 14, 1733; of
which a transcript made for Peter Force is found among his papers preserved in the Manuscript division of the LC. Also found
in part, with other Georgia items, in "The political state of Great Britain", v. 44-46, London, 1732-1733. cf. L. L. Mackall, The
source of Force's tract "A brief account" [etc.] in Am. hist. rev., Jan. 1925, vol. XXX, p. 304-308.
Subjects:
      Georgia -- History -- Colonial period, ca. 1600-1775.
```

```
LC Call Number:
     E187 .A5 vol. 1
```



All catalog searches are provided by Ray Larson's Cheshire II search engine (Larson, 2005).

6.2 Map Browse

The Map Browse function provides the same search functionalities like the Country Browse interface, only it presents events on a map with a color coding showing those countries that are associated with more events in a darker color.



Map Browse interface.

The map interface allows for zooming in to different countries and US states. Clicking on a country or state triggers a search to the Time Period Directory showing the events associated with that country. All records are once again linked to a catalog search.

Planned, but not yet implemented, is a feature in the lower part of the map enabling a user to restrict the events shown on a map by time. We also plan to color-code the different types of events shown on the map. Due to the undifferentiated nature of our classification so far, this would be of limited usefulness.



Zooming in to Europe and clicking on the dot for Paris opens a menu allowing searching for events for the city of Paris or the country of France.

Paris	ř.
•	Siege, 885-887, Paris (France) 🗟
•	Uprising of 1357-1358, Paris (France) 🖏
•	Siege, 1590, Paris (France) 🗟
•	Louis XIV, 1643-1715, Paris (France) 🖏
•	Capitulation, 1814, Paris (France) 🗟
	Capitulation, 1815, Paris (France) 🗟
•	June Days, 1848, Paris (France) 🖏
	Siege, 1870-1871, Paris (France) 🗟
	Commune, 1871, Paris (France) 🗟
	Bombardment, 1918, Paris (France) 🗟

Result set when triggering a map search for Paris, France.

The map search interface is provided by the TimeMap software (<u>http://www.timemap.net/</u>) promoted by ECAI.

6.3 Time Line Browse

The Time Line Browse provides another view of the data – organized by date. This entry point might be especially interesting to a general searcher, trying to orient him- or herself about a period of time. This first prototype allows viewing all events and periods of our Time Period Directory in a given century.

The events are sorted by date and once again linked directly to a Library of Congress catalog search. Once we have implemented the time line slider in the map interface, we will also be able to provide a chronological entry point from the map.

For further implementation, we envision a time line feature that will – given a country, date range or time period type – create customized time lines on the fly. Our Time Period Directory certainly provides the data and structure for this application.

Especially for this interface, we are looking into more sophisticated visualization techniques to make the presentation visually more appealing.



Time Line Browse. Showing results for the 13th century.

The Time Line Browse is based on a Javascript visualization and database querying of the underlying Time Period Directory.

7. Outlook

For the near future, we are considering several areas of improvement – both in our implementation of the first Time Period Directory and the fitting of Time Period Directories into a larger framework of a "metadata infrastructure" for better access to information systems.

It became obvious from the implementation of our 2,006 Time Period Directory records that scale is a significant issue for the visual and textual representation of the data. For the Country Browse and Time Line Browse interfaces, alphabetical or chronological ordering alone does not scale – too many records in this view are confusing and exhausting to look at. We have several ideas how this problem can be alleviated.

First of all, using a more appropriate time period type classification will help us to provide a faceted view into the data by grouping events by similar types and provide a more cohesive view of different political, social and cultural developments for a given area or country. As a beneficial side effect, the new facets will also add other access points to the Time Period Directory instances – allowing to search for similar events across space and time.

Secondly, we believe that the visual impact of a time line is familiar to many users of our system. Being able to create a time line on the fly – customized by country, date, or event type – should prove to be beneficial for educational and presentational purposes for our users. The structure of Time Period Directories permits the use of the data elements in this way. We are working on making this application available.

Even though we attempt to provide structured and well-organized access points to the data, we also strive to provide as many and as flexible entry points as possible. Searchers are now used to use a Google-like search box for accessing data. In fact, many user studies have observed that people use this simple text search as first orientation and then use a more structured approach (utilizing the inherent organization of the data) to proceed in their search. It is therefore necessary to provide this sideways access point to our data as well. It should be relatively straightforward to implement a text search for period names and alternative period names, location names as well as all notes and sources fields. It is a weakness of our application that the descriptive element is empty in many Time Period Directory instances. This is an artifact of the sparse LoC authority records data and should be alleviated when additional information is added from other sources.

Returning to the problem of sparse data, three more areas for improvement immediately come to mind. The connection and implementation of an historical gazetteer with our historical data would enhance the search experience and educational impact manifold. Being able to show how certain events caused or effected a change in national borders, for example, should be possible to be implemented if the suitable historical location data were available.

The Time Period Directory Content Standard also contains a component linking to related events and time periods. Because of time and labor constraints, we did not attempt to populate these elements in our current implementation of the LoC chronological subdivision data. If these elements were filled, we foresee more and more interesting ways of connecting and visualizing events in time lines and causal relationships that provide insight in a particular historical development. This feature should be especially interesting to domain specialists and teachers.

Additionally, we are conscious of the fact that in order to really prove the value of Time Period Directories and the Content Standard, it is necessary to try out the schema and implementation on other and more varied data sets than the relatively homogenous and standardized LoC authority records. We are looking into other interesting sources. For general historical events, any encyclopedia or domain chronology could provide period and event names. Other classification systems and thesauri can be looked at as well. For artistic periods, for example, the Getty Arts and Architecture Thesaurus (<u>http://www.getty.edu/research/conducting_research/vocabularies/aat/</u>) provides a "Styles and Periods Facet", which contains period names that seem very suitable for incorporation into a more structured and searchable schema as the Time Period Directory Content Standard provides.

In the larger context of the ECAI / IMLS "Support for the Learner: What, Where, When and Who?" project, the Time Period Directory is just one part of the general framework being developed. Although our implementation nicely connects the "When" and "Where" parts and provides a direct access to the "What" aspect through the Library of Congress catalog search, we have yet to incorporate the biographical aspect into our project.

Chronological, geographical and biographical data lend themselves really well to being connected: an event is associated with a place, a time and potentially some people; a place is associated with different events and people; and a person is also associated with different places and events. One can foresee a plethora of relationships and possible search questions that a truly interconnected system should be able to answer. We have demonstrated with our Time Period Directory implementation that many different views and perspectives on the same data are possible and desirable.

Acknowledgement: This work was partially supported by the Institute of Museum and Library Services through a National Leadership Grant for Libraries, award number LG-02-04-0041-04, Oct 2004 – Sept 2006.

8. References

Alexandria Digital Library Project (2004). ADL Gazetteer Content Standard Version 3.2, Santa Barbara CA: Map and Imagery Lab, Davidson Library, University of California, Santa Barbara.

Bates, M. J., D. N. Wilde, et al. (1993). "An analysis of search terminology used by humanities scholars: the Getty Online Searching Project Report Number 1." Library Quarterly 63(1): 1-39.

Case, D. O. (1991). "The collection and use of information by some American historians: a study of motives and methods." Library Quarterly 61(1): 61-82.

Chan, L. M. (1995). Library of Congress subject headings: principles and application. Englewood, Colo., Libraries Unlimited.

Drabenstott, K. M. (1992). "Period subdivisions in the Library of Congress Subject Headings system - some thoughts and recommendations for the future." Cataloging and Classification Quarterly 15(4): 19-45.

Feinberg, M. in consultation with R. Mostern, S. Stone and M. Buckland (2003). Application of Geographical Gazetteer Standards to Named Time Periods. Berkeley, Electronic Cultural Atlas Initiative: 21 pages. http://ecai.org/imls2002/time_period_directories.pdf

Frommeyer, J. (2003). Zeitbegriffe und Zeitcodierungen in allgemeinbibliographischen Datenbanken : eine Analyse von RSWK, LCSH und RAMEAU sowie Entwicklung eines theoretischen Modells fur ein Zeitretrieval. Berlin, Logos-Verl.

Great Britain Historical GIS project (accessed October 2005). http://www.port.ac.uk/research/gbhgis/

Larson, R. R. Cheshire II Project. http://cheshire.berkeley.edu/ (accessed: 10/2005).

Leff, G. (1972). Models inherent in history. The rules of the game: cross-disicplinary essays on models in scholarly thought. T. Shanin. London, Tavistock.

O'Neill, E. T. and R. Aluri (1979). Research report on Subject Heading patterns in OCLC monographic records. Columbus, Ohio, OCLC, Research Dept., Research and Development Div. Report No. OCLC/RDD/RR-79/1

Saracevic, T. and P. Kantor (1988). "A Study of Information Seeking and Retrieving . 2. Users, Questions, and Effectiveness." Journal of the American Society for Information Science 39(3): 177-196.

Tibbo, H. R. (1989). Abstracts, online searching, and the humanities: an analysis of the structure and content of abstracts of historical discourse. Ph. D. diss., University of Maryland.

9. Appendices

ECAI Time Period Directory Content Standard, 2005 XML Time Period Directory Instance, 2005 Time Period Type List (Feinberg et al., 2003)